


Federated Giovanni

Multi-sensor Data Sharing and Visualization

<http://giovanni.gsfc.nasa.gov/giovanni/>


Mahabal Hegde
ADNET Systems/NASA GESDISC
maha.hegde@gmail.com

Principal Investigator: Christopher Lynnes
Project Funding: NASA ROSES ACCESS 2013



What is Giovanni?

- Stands for “Geospatial Interactive Online Visualization and Analysis”
- Developed at NASA’s Goddard DISC: originated in 2002





Giovanni: Capabilities

- Allows interactive exploration of gridded data
- 643 data variables from 16 instruments and 3 NASA Earth Science data centers
- Easy to share URLs for results and user selections



Giovanni: Screenshots




The screenshot shows the GIOVANNI web interface. The top navigation bar includes links for 'Data Discovery', 'Data wizard', and 'Science Disciplines'. The main content area is titled 'GIOVANNI The Bridge Between Data and Science v 4.17.1'. Below this, there are sections for 'Select Plot' and 'Select Variables'. The 'Select Plot' section has a dropdown menu for 'Maps: Time Averaged Map'. The 'Select Variables' section has a list of variables with checkboxes, including 'Aerosol Optical Depth 550 nm (OMAERUVd v093)' and 'Aerosol Optical Depth 550 nm (Dark Target, Ocean-only) (MOD08_D3 v051)'. A sidebar on the left lists 'Disciplines', 'Measurements', 'Platform / Instrument', and 'Spatial Resolutions'.






Giovanni: Capabilities

- 21 services (e.g. Time Average, Correlation)
- 10 visualizations (e.g. Map, Time Series)




3.01.01 - 2010-09-30. The data date range for Precipitation Rate daily 0.25 deg [TRMM TRMM_3B42_daily v7] mm/day. The data date range for Precipitation Rate daily 0.25 deg [TRMM TRMM_3B42_daily v6] mm/day. Selected date range was 2010-01-01 - 2010-09-30. Title reflects the date range of the granules that went into making this result.




Selected date range was 2010-01-01 - 2010-09-30. Title reflects the date range of the granules that went into making this result.


Hovmöller, Longitude-Averaged of Precipitation Rate daily 0.25 deg [TRMM TRMM_3B42_daily v7] mm/day over 2007-06-30 22:30Z - 2007-07-30 22:29Z, Region 180W, 60S, 180E, 90N



Selected region was 180W, 60S, 180E, 90N. Precipitation Rate daily 0.25 deg [TRMM TRMM_3B42_daily v7] mm/day has a limited data extent of 180W, 60S, 180E, 90N. The region in the title reflects the data extent of the subselected granules that went into making this result. - Selected date range was 2007-07-01 - 2007-07-30. Title reflects the date range of the granules that went into making this result.




Selected region was 180W, 60S, 180E, 90N. Precipitation Rate daily 0.25 deg [TRMM TRMM_3B42_daily v7] mm/day has a limited data extent of 180W, 60S, 180E, 90N. The region in the title reflects the data extent of the subselected granules that went into making this result. - Selected date range was 2007-07-01 - 2007-07-30. Title reflects the date range of the granules that went into making this result.




Giovanni: Capabilities

- Support for shape selection and unit conversions



Time Series, Area-Averaged of Multi-satellite precipitation estimate with climatological gauge calibration - Early Run half-hourly 0.1 deg. [GPM GPM_3IMERGHHE v03] inch/hr over 2015-10-01 00:00Z - 2015-10-06 23:59Z, Shape South Carolina





Credits: Dr. Zhong Liu
GMU/NASA GSFC



Giovanni: Usage


- Usage: 150+ unique users per day








Giovanni: Usage

- Citations by its users: averages 200 publications per year





Examples: Atacama Desert Flooding





Credits: Dr. James Acker
ADNET Systems/NASA GSFC




Examples: Historic Rainfall in South India


“Worst rain in 100 years” affects southeastern India. Extremely heavy rainfall caused deadly flooding in the middle of the month of November. Record setting rainfall has again caused deadly flooding in southern India on November 29th through December 3rd, with more anticipated in coming days. This IMERG analysis shows that unusually heavy rainfall totals of over 400 mm (15.7 inches) fell over southeastern India. Even higher totals of up to 490 mm (19.3 inches) are shown in the Bay Of Bengal just off the Indian coast.




*Credits: Hal Pierce (NASA/SSAI) and Giovanni
Provided By: Dr. Dalia Kirschbaum, NASA GSFC*




Giovanni Ecosystem





Federated Giovanni: Genesis

- User demand for non-GESDISC data in Giovanni
- Outside interest in hosting their own Giovanni instances




Federated Giovanni: Objectives

1. Allow other data centers to leverage Giovanni's services

Partner Data Centers:

- a. NASA GESDISC
- b. NASA JPL/PO.DAAC
- c. NASA MODAPS
- d. NASA OB.DAAC
- e. USGS/NASA LP DAAC




Federated Giovanni: Objectives

2. Enable users to compare data from multiple data centers

Example:

Comparison of MODIS and OMI Aerosols

3. Development of services by wider community



Enabling Federation

- Support for non-GESDISC data in Giovanni

Process	Standard/Tool
Data Search	ESIP OpenSearch
Data Access	OPeNDAP
Data Format	netCDF
Data Catalog	Apache Solr




Enabling Federation: Tools


- Web based data catalog curation




- Utility for copying data between catalogs
e.g. copy_data.pl “Data ID” “Source Catalog URL” “Target Catalog URL”



Federated Giovanni: Data Sharing





Enabling Federation: APIs

- API for plugging in algorithms


Sample Service Specification File:

```
SERVICE_NAME = AcMp
SERVICE_DESCRIPTION = "Accumulation of measurement over time at each grid point"
SERVICE_LABEL = "Map, Accumulated"
PLOT_TYPE = INTERACTIVE_MAP
ALGORITHM_CMD = g4_accumulate.pl -y ttl
OUTPUT_FILE_ROOT = accumulate
MAX_POINTS = 7568640000
DATELINE_METHOD =
CONVERT_UNITS_STEP = WRAPPER,WRAPPER
SERVICE_HELP = http://disc.sci.gsfc.nasa.gov/giovanni/documents/ag/user-  
manual#g4\_accumulate
```




Enabling Federation: Distribution

- Hosted on NASA Earthdata Code Collaborative
- Distributions are available as:
 - RPMs
 - Docker Image





Federated Giovanni Adoption: Goals

- Data in NASA GESDISC Giovanni from five (5) data centers
 1. NASA GESDISC
 2. NASA MODAPS
 3. NASA OB.DAAC
 4. NASA PO.DAAC
 5. NASA /USGS LP DAAC
- Giovanni instances at four (4) data centers
 1. NASA GESDISC
 2. NASA MODAPS
 3. NASA OB.DAAC
 4. NASA PO.DAAC




Federated Giovanni Ecosystem






Federated Giovanni Adoption: Status

- Data in NASA GESDISC Giovanni from three (3) data centers
 1. NASA GESDISC
 2. NASA MODAPS
 3. NASA/USGS LP DAAC
- Giovanni instances in different stages of deployment at two (2) data centers
 1. NASA PO.DAAC
 2. NASA MODAPS



Things in the pipeline

- API for adding visualization
- Open sourcing of Giovanni



Acknowledgements

NASA GESDISC

Christopher Lynnes (PI), Steven Kempler, James Acker, Keith Bryant, Edward Seiler, Richard Strub, Christine Smit, Peisheng Zhao, Jake Davis

NASA MODAPS

Virginia Kalb, John Hord

NASA OB.DAAC

Sean Bailey, Robert Lossing

NASA JPL

Chris Mattman, Ross Laidlaw, Jessica Hausman

USGS LP DAAC

Cody Hendrix, Jason Werpy



Questions?

Thank You!

Search “NASA Giovanni”

Or

<http://giovanni.gsfc.nasa.gov>